



SAFETY DATA SHEET
LAPIDOLITH

Page 1
Issued: 01/09/2005
Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: LAPIDOLITH
Use / description of product: Fluorosilicate based floor hardener
Company name: Conren Limited
Redwither Road
Wrexham Industrial Estate
Wrexham
LL13 9RD
UK
Tel: + (44) 1978 661991
Fax: + (44) 1978 661120

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: MAGNESIUM HEXAFLUOROSILICATE 10-25%
EINECS: 241-022-2 CAS: 16949-65-8
[T] R25
• ZINC SILICOFLUORIDE 1-10%
[T] R25

3. HAZARDS IDENTIFICATION

Main hazards: Toxic if swallowed. Irritating to eyes and skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and pain.
Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. There may be loss of consciousness.
Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion: Wash out mouth with water. Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

[cont...]